

# Protect what matters most.

### ALM Series: Watchguard<sup>™</sup> Wireless WiFi & 4G Alarm System

The Watchguard<sup>™</sup> alarm pack is the perfect security solution. Connect to WiFi and insert a SIM card for dual protection. When connected to WiFi remote view, receive push notifications and control your alarm system via the mobile app. In the event of a power outage, the control panels 4G connection will send SMS notifications. The alarm pack is compatible with wide range of accessories to fit the security needs of any home, at any size.

- Versatile security for residences, offices and stores
- Reliable protection: In event of a power outage the • control panel will send SMS notifications
- 12 hour backup lithium battery (standby)
- Connect to WiFi to control & monitor the alarm system via the phone app or receive email notifications
- Contact ID for back to base monitoring capabilities
- Connect up to 64 wireless keyfobs and 6 sirens



**Real-time Push Notifications** 



**Complete Wireless Accessory Range** 



**Reliable Power Outage Backup** 

## **Professional wireless security from Watchguard** ALM SERIES KEY FEATURES:



**Real Time Notifications** 

Events are sent to mobile apps instantly and by looking at the footage from the camera's users can remotely verify alarm events



**Wireless Acessories Range** 

Watchguard's ALM Series system allows up to 150 wireless sensors, 64 additional wireless remote controls and up to 6 sirens.



#### **Power Outage Protection**

The alarm hub back up battery ensures that you stay protected and alert in theevent of a power outage with system staturs alerts when down.



#### CCTV Detects, Alarms warn, Security Assured

Improve your security by connecting your alarm system to your CCTV system. Get alerted when your surveillance camera detects motion.

• Receive real-time alerts when your surveillance cameras detect motion.

8888 8888



#### Control via SMS or phone call

Add phone numbers to control the system. Store 3 numbers for SMS control, 5 for phone call control and 2 for CMS



#### **4G Network Connection**

The control panel is compatible with a 4G/3G network, choose to always receive SMS tect notifications and manage your system remotely.



#### **4G Network Connection**

Complete control over the system. Manage and perform operation. Be able Search for an accessory's signal strenght, battery level, etc.

# Specifications ALM SERIES KIT



#### Watchguard<sup>™</sup> Alarm Pack

Model: ALMKIT-D1

This alarm kit includes

- 1 x Alarm Hub
- 1 x Wireless Indoor
- PIR Sensor + Bracket
- 1 x Wireless door detector
- 4 x Wireless key fob

\*Requires 4G SIM

Siren and alarm accessories available

| Model                                      | 4 Channel NVR  |  |
|--|--|--|
| Ordering Information                       | NVR4COM-I: 4CH, 80Mbps   |  |
| Backup Battery                             | lithium battery  |  |
| Dimensions<br>Frequency                    | 163.0mm × 163.0mm × 32.0mm   |  |
| Frequency                                  | 433.1 MHz-434.6 MHzv   |  |
| Supported Accessories                      | 150-channel wireless peripherals (6 sirens, 64<br>wireless keyfobs)                      |  |
| ဖွ WiFi                                    | 2.4G   |  |
| WiFi<br>Wireless Range                     | 1,200 M (open space)   |  |
| Encryption Mode                            | AES128   |  |
| Calling alarm/SMS                          | Yes (up to 5 phone numbers)  |  |
| Tamper Alarm                               | Yes  |  |
| Video Linkage                              | Yes  |  |
| Network Protocol                           | TCP/IP, including PPTP, L2TP, DHCP, UPNP, and NTP  |  |
| Remote Upgrade<br>Arm and Disarm           | Cloud update   |  |
| Arm and Disarm                             | App; keyfob; schedule  |  |
| Power Failure Protection                   | Yes  |  |
| Cache                                      | Max. 50 entries (ANR)  |  |
| Low Battery Alarm                          | Yes  |  |
| Search                                     | Search for push messages, device status, and program version, and detect signal strength |  |
| Buzzer                                     | Built-in   |  |
| Button                                     | 1 × reset, 1 × power, 1 × AP   |  |
| Indicator Light                            | 1 for multiple statuses (alarm, arming, disarming, networking, and malfunction)          |  |
| Coperating Environment                     | –10 °C to +50 °C (indoor)  |  |
| Material                                   | PC + ABS   |  |
| Material<br>Power Consumption<br>(Standby) | 12 hours (standby)   |  |
| Power Supply                               | 12 V DC, 1.5 A   |  |
| Product Diagrams                           |  |  |
|  |  |  |

# **Expand up to 150 sensors or other accessories**

ALM SERIES ALARM SENSORS & ACCESSORIES:

#### Watchguard<sup>™</sup> Wireless Controls & Panic Buttons

| 0   | 40 7 5<br>41 2 2 30<br>4 5 4<br>7 4 5<br>4 5<br>4 5<br>4 5<br>4 5<br>4 5<br>4 5<br>4 5   | E C C C C C C C C C C C C C C C C C C C  |
|---|--|--|
| Wireless Panic Button                                       | Wireless Keypad  | Wireless keyfob  |
| Accidental press prevention     Communication Distance 800m | <ul> <li>Medical, fire &amp; intrusion shortcuts</li> <li>Password or IC card</li> </ul> | <ul> <li>Home, Away, Disarm, &amp; SOS buttons</li> <li>Power Supply CR2032 Battery</li> </ul> |
| ALM-D1-PNB  | ALM-D1-KPD   | ALM-D1-RC  |

#### Watchguard<sup>™</sup> Wireless Sirens

| Wireless Siren  | Wireless Outdoor Siren  |  |
|---|---|--|
| <ul> <li>3 volume level control</li> <li>Communication Distance 800m</li> <li>2 x CR123A batteries</li> </ul> | <ul> <li>Medical, fire &amp; intrusion siren</li> <li>12 VDC</li> <li>IP65 Rated</li> </ul> |  |
| ALM-D1-SIR  | ALM-D1-SRX  |  |

#### Watchguard<sup>™</sup> Wireless Detectors & Alarm

| Watchguard   |  |   |  |
|--|--|---|--|
| Alarm Hub  | Wireless door detector   | Wireless PIR Detector   | Wireless Smoke Alarm   |
| <ul> <li>Supports 150 peripherals</li> <li>Dual SIM &amp; single standby</li> <li>Cloud back-up</li> </ul> | <ul> <li>Signal strength detection</li> <li>Communication distance 1,000m</li> <li>CR123A battery</li> </ul> | <ul> <li>Tamper protection</li> <li>Pet immunity, up to 18kg</li> <li>Adjustable vibration sensitivity</li> <li>CR123A battery</li> </ul> | <ul> <li>LED light &amp; buzzer alarm</li> <li>3V CR123A lithium battery</li> <li>Over 85 dB(A) at 3m</li> <li>Silence Duration about 12min</li> </ul> |
| ALM-D1-AHB   | ALM-D1-RSW   | ALM-D1-PIR+   | ALM-D1-SMK   |